


# QINOPU®

## 宁波乔普电器有限公司 Ningbo Qiaopu Electric Co., Ltd.



[Http://www.qiaopuco.com](http://www.qiaopuco.com)



地址：浙江省余姚市泗门镇小路下村

ADD: Xiaoluxia, Simen, Yuyao, Zhejiang, China

Tel : 0086-574-62163834 13454735680

Fax : 0086-574-62160106

P.C : 315472

E-mail : nbqpdq\_vicky@163.com

Web : [Http://qiaopuco.com](http://qiaopuco.com)

# 目录

## QIAOPU of contents

企业简介 Brief Introduction ..... 02

产品系列 Products

	中国 China ..... 03
	南非 South Africa ..... 04
	韩国 Korea ..... 05
	德国 Germany ..... 06
	澳大利亚 Australia ..... 10
	意大利 Italy ..... 13
	英国 Britain ..... 13
	阿根廷 Argentina ..... 14
	瑞士 Switzerland ..... 14
	巴西 Brazil ..... 15
	美国 USA ..... 16
	日本 Japan ..... 18
	灯头开关系列 Lamp switch ..... 19
	接线板 Power sockets ..... 20
	橡胶线 Rubber cable ..... 21






# Brief Introduction

## 企业简介

宁波乔普电器有限公司一直致力于遍及全球的用户提供更具有竞争力的高质量的产品与服务。在国内我们率先取得了ISO9001体系认证，产品通过了德国VDE/GS、法国NF、荷兰KEMA、丹麦DEMKO、瑞典SEMKO、奥地利OVE、芬兰FI、意大利IMQ、比利时CEBEC以及美国UL、澳大利亚SAA、加拿大CSA等多国认证。我们把自己置身于客户的境地，深入了解客户的业务和服务对象的需要，提供全面的高水准的服务。我们对质量的承诺不仅包括高质量的产品、体系和服务，而且包括所有与客户有关的方方面面的接触。高标准商业的客户信任和支持。十六年的专业制造经验及成果使我们坚信您与我们的合作前景将更加辉煌。


As a specialized manufacturer of power cords, cord sets, cable reels, Ningbo Qiaopu Electric CO., LTD is devoting ourselves to exceed more competitive products and high quality services to our customers around. We took the lead in getting ISO9001 quality system, Our products have got safety approval CE in European Community, VDE/GS in Germany, NF in France, NEMKO in Netherlands, SEMKO in Sweden, OVE in Austria, DEMKO in Denmark, FI in Finland IMQ in Italy, CEBEC in Belgium and UL in USA, SAA in Australia, CSA in Canada. Through long-term cooperation with customers, We will provide them with comprehensive and high quality standard services to meet their needs. We guarantee quality in our products, systems and services, as well as our customers contacts contacts, Business reputation in high standard is our company's principle, and the good credit makes us get the trust and support from our customers. With sixteen-year professional experiences and achievements, We believe the cooperation between you and us will get better and better.






### PBB-6/PBB-10

Product	两极不可拆线插头
Rated Current	6A 10A
Rated Voltage	250V
Approvals	
Cable Type	6A: 60227 IEC 52(RVV) 2×0.5~0.75mm <sup>2</sup> 60227 IEC 53(RVV) 2×0.75mm <sup>2</sup> 10A:60227 IEC 53(RVV) 2×0.75~1.0mm <sup>2</sup>




### PSB-6/PSB-10

Product	两极带接地不可拆线插头
Rated Current	6A 10A
Rated Voltage	250V
Approvals	
Cable Type	6A: 60227 IEC 52(RVV) 3×0.5~0.75mm <sup>2</sup> 60227 IEC 53(RVV) 3×0.75mm <sup>2</sup> 10A: 60227 IEC 53(RVV) 3×0.75~1.0mm <sup>2</sup> 60245 IEC 53(YZ) 3×0.75~1.0mm <sup>2</sup> 60245 IEC 57(YZW) 3×0.75~1.0mm <sup>2</sup> 60245 IEC 51 3×0.75~1.0mm <sup>2</sup>



### PSB-16

Product	两极带接地不可拆线插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	60227 IEC 53(RVV) 3×1.0~2.5mm <sup>2</sup> 60245 IEC 53(YZ) 3×1.5mm <sup>2</sup> 60245 IEC 57(YZW) 3×1.5mm <sup>2</sup> 60227 IEC 66 3×1.0~1.5mm <sup>2</sup>



### QT 2


Product	IEC 带软线连接器
Rated Current	2.5A
Rated Voltage	250V
Approvals	
Cable Type	H03VVH2-F 2×0.5mm <sup>2</sup> (MA×2M) H03VVH2-F 2×0.75mm <sup>2</sup> 60227 IEC 52(RVV) 2×0.75mm <sup>2</sup>








### QT3



Product	IEC 带软线连接器
Rated Current	10A 13A
Rated Voltage	125V 250V
Approvals	CCC KEM S A UL
Cable Type	60227 IEC 53(RVV) 3×0.75~1.0mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> SVT SJT SJTW SJTO 18AWG/3C SJT SJTW SJTO 16AWG/3C




### QN-01



Product	两极带接地不可拆线插头
Approvals	CCC
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> H05RR-F 3G0.75~1.0mm <sup>2</sup> H05RN-F 3G0.75~0.75mm <sup>2</sup> H03VVH2-F 2×0.75mm <sup>2</sup> H03RT-H 3G0.75~1.0mm <sup>2</sup>




### QN-02A




Product	两极带接地不可拆线插头
Approvals	CCC
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> H05RR-F 3G0.75~1.0mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup> H03RT-H 3G0.75~1.0mm <sup>2</sup>




### QN-02




Product	两极带接地不可拆线插头
Approvals	CCC
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> H05RR-F 3G0.75~1.0mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup> H03RT-H 3G0.75~1.0mm <sup>2</sup>

**K 01**


Product	两极不可拆线圆脚插头
Rated Current	2.5A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.5-0.75mm <sup>2</sup>
	H03VVH2-F 2×0.5-0.75mm <sup>2</sup>
	H05VV-F 2×0.75mm <sup>2</sup>
	H05VVH2-F 2×0.75mm <sup>2</sup>

**K 02**

Product	两极不可拆线圆脚插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VVH2-F 2×0.75mm <sup>2</sup>
	H05VVH2-F 2×0.75mm <sup>2</sup>
	H05VV-F 2×0.75~1.0mm <sup>2</sup>
	H05RN-F 2×0.75~1.0mm <sup>2</sup>
	H05RR-F 2×0.75~1.0mm <sup>2</sup>
	H07RN-F 2×1.0mm <sup>2</sup>

**K 03**


Product	两极带接地不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H07RN-F 3G1.0~1.5mm <sup>2</sup>

**K 04**

Product	两极带接地不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H07RN-F 3G1.0~1.5mm <sup>2</sup>









### D01

Product	两极不可拆线圆脚插头
Rated Current	2.5A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.5~0.75mm <sup>2</sup> H03VVH2-F 2×0.5~0.75mm <sup>2</sup> H05VV-F 2×0.75mm <sup>2</sup> H05VVH2-F 2×0.75mm <sup>2</sup>




### D02

Product	两极不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.75mm <sup>2</sup> H05VVH2-F 2×0.75~1.0mm <sup>2</sup> H05VV-F 2×0.75~1.0mm <sup>2</sup> H05V2V2-F 2×0.75~1.0mm <sup>2</sup> H05V2V2H2-F 2×0.75mm <sup>2</sup> H05RN-F 2×0.75~1.0mm <sup>2</sup> H07RN-F 2×1.0~1.5mm <sup>2</sup>



### D02-F

Product	两极不可拆线防水圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 2×0.75~1.5mm <sup>2</sup> H05RN-F 2×0.75~1.0mm <sup>2</sup> H07RN-F 2×1.0~1.5mm <sup>2</sup>



### D03


Product	两极带接地不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup> H05RR-F 3G0.75~1.0mm <sup>2</sup> H07RN-F 3G1.5mm <sup>2</sup> H05V2V2-F 3G0.75~1.0mm <sup>2</sup> H03RT-H 3G0.75~1.0mm <sup>2</sup>

**D03A**


Product	两极带接地不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H03RT-H 3G0.75~1.0mm <sup>2</sup>
	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05V2V2-F 3G0.75~1.0mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>

**D03-F**

Product	两极带接地不可拆线防水圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	    
Cable Type	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RR-F 3G0.75~1.5mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H07RN-F 3G1.0~1.5mm <sup>2</sup>

**D04**


Product	两极带接地不可拆线圆脚插头
Rated Current	16A
Rated Voltage	250V
Approvals	 
Cable Type	H03VV-F 3G0.75mm <sup>2</sup>
	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H03RT-H 3G0.75~1.0mm <sup>2</sup>

**D01/Y001-ZB**


Product	欧洲两极对插延长线
Rated Current	2.5A/2.5A
Rated Voltage	250V
Approvals	    
Cable Type	H05VV-F 2×0.75mm <sup>2</sup>
	H05VVH2-F 2×0.75mm <sup>2</sup>





**D03/QT1**

Product	德式三芯连接器
Rated Current	16A/2.5A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.75mm <sup>2</sup>
	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H03RT-H 3G0.75~1.0mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H07RN-F 3G1.5mm <sup>2</sup>

**D03/QT3-W**

Product	德式三芯连接器
Rated Current	16A/10A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G1.0~1.5mm <sup>2</sup>

**D03/QT4**

Product	德式三芯连接器
Rated Current	16A/16A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.75mm <sup>2</sup>
	H05VV-F 3G0.75~1.5mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H07RN-F 3G1.5mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H03RT-F 3G0.75~1.0mm <sup>2</sup>

**D03/D03-FY**


Product	法式三极延长线
Rated Current	16A/16A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G1.5mm <sup>2</sup>

**D02/Y002-Z**

Product	欧洲两极对插延长线
Rated Current	16A/16A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2 × 0.75mm <sup>2</sup> H05VVH2-F 2 × 0.75~1.0mm <sup>2</sup> H05VV-F 2 × 0.75~1.0mm <sup>2</sup> H05RN-F 2 × 0.75~1.0mm <sup>2</sup>

**D03-F/D03-YGB**

Product	欧洲防水延长线
Rated Current	16A/16A
Rated Voltage	250V
Approvals	
Cable Type	H05RN-F 3G0.75~1.0mm <sup>2</sup> H07RN-F 3G1.0mm <sup>2</sup> H07RN-F 3G1.5mm <sup>2</sup>

**QT3-QZ3**


Product	带软线连接器
Rated Current	10A/10A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G0.75mm <sup>2</sup> (MAX 2M) SVT SVTW SJT SJTW SJTO 18AWG/3C SJT SJTW SJTO 16AWG/3C

**QP-3T**


Product	带软线三通连接器
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G0.75mm <sup>2</sup> H05VV-F 3G1.0mm <sup>2</sup> H05VV-F 3G1.5mm <sup>2</sup>






**D05A/QT2**


Product	澳式两芯连接器
Rated Current	7.5A / 2.5A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H03VVH2-F 2 × 0.5~0.75mm <sup>2</sup>

**D05B**


Product	两极不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 2 × 0.75~1.5mm <sup>2</sup>
	4V-75 H05RN-F 2 × 1.0mm <sup>2</sup>
	H07RN-F 2 × 1.0~1.5mm <sup>2</sup>

**D06A**

Product	两极带接地不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G0.75mm <sup>2</sup>
	4V-75 H05VV-F 3G1.0mm <sup>2</sup>
	4V-75 H05VV-F 3G1.5mm <sup>2</sup>
	DL3 3G1.5mm <sup>2</sup> 300/500V


**D06B**

Product	两极带接地不可拆线插头
Rated Current	15A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.5mm <sup>2</sup>
	4V-75 06/1kV-F 3G1.5mm <sup>2</sup>



### D06/QT3

Product	澳式三芯连接器
Rated Current	10A/10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G0.75~1.0mm <sup>2</sup>



### D06/QT3-W

Product	澳式三芯连接器
Rated Current	10A/10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>
	4V-75 H05VV-F 3G1.5mm <sup>2</sup>
	DL3 3 × 1.0mm <sup>2</sup>
	DL3 3 × 1.5mm <sup>2</sup>
	4V-75 0.6/1KV 3G1.0mm <sup>2</sup>
	4V-75 0.6/1KV 3G1.5mm <sup>2</sup>



### D06/D06-Y

Product	澳式对插延长线
Rated Current	10A/10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>
	4V-75 H05VV-F 3G1.5mm <sup>2</sup>
	DL3 3 × 1.0mm <sup>2</sup>
	DL3 3 × 1.5mm <sup>2</sup>
	4V-75 0.6/1KV 3G1.0mm <sup>2</sup>
	4V-75 0.6/1KV 3G1.5mm <sup>2</sup>



### D06C/D06-Y

Product	SAA澳大利亚延长线
Rated Current	10A/10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>
	4V-75 H05VV-F 3G1.5mm <sup>2</sup>





**D06/D06-4F**

Product	澳大利亚四位防雷移动插座
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>

**D06/D06-6F**


Product	澳大利亚六位防雷移动插座
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>

**D06/D06-4Y**

Product	澳大利亚四位移动插座
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>


**D06/D06-6Y**

Product	澳大利亚六位移动插座
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	4V-75 H05VV-F 3G1.0mm <sup>2</sup>




### D07

Product	两极不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VVH2-F 2 × 0.75mm <sup>2</sup> H05VV-F 2 × 0.75~1.0mm <sup>2</sup> H05VVH2-F 2 × 0.75~1.0mm <sup>2</sup>




### D08

Product	两极带接地不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.75mm <sup>2</sup> H05VV-F 3G0.75~1.0mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup>



### Y006

Product	带熔断器装配插头
Rated Current	3A / 5A / 13A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2 × 0.5~0.75mm <sup>2</sup> H03VVH2-F 2 × 0.5~0.75mm <sup>2</sup> H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 2 × 0.75~1.5mm <sup>2</sup> H05VVH2-F 2 × 0.75~1.0mm <sup>2</sup> H05VV-F 3G × 0.75~1.5mm <sup>2</sup> H05RN-F 3G × 0.75~1.0mm <sup>2</sup>




### D09

Product	带熔断器不可拆线插头
Rated Current	3A / 5A / 13A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2 × 0.5~0.75mm <sup>2</sup> H03VVH2-F 2 × 0.5~0.75mm <sup>2</sup> H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 2 × 0.75~1.5mm <sup>2</sup> H05VVH2-F 2 × 0.75~1.0mm <sup>2</sup> H05VV-F 3G0.75~1.5mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup>










### D10

Product	两级不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.5~0.75mm <sup>2</sup>
	H03VVH2-F 2×0.5~0.75mm <sup>2</sup>
	H05VV-F 2×0.75~1.0mm <sup>2</sup>
	H05VVH2-F 2×0.75~1.0mm <sup>2</sup>
	H05RR-F 2×0.75~1.0mm <sup>2</sup>
	H05RN-F 2×0.75~1.0mm <sup>2</sup>
	H05V2V2-F 2×0.75~1.0mm <sup>2</sup>
	H05V2V2H2-F 2×0.75~1.0mm <sup>2</sup>




### D11

Product	两级带接地不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup>
	H05VV-F 3G0.75~1.0mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H05V2V2-F 3G0.75~1.0mm <sup>2</sup>
	H03RT-H 3G0.75~1.0mm <sup>2</sup>




### D12

Product	两级不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.5~0.75mm <sup>2</sup>
	H03VVH2-F 2×0.5~0.75mm <sup>2</sup>
	H05VV-F 2×0.75~1.0mm <sup>2</sup>
	H05VVH2-F 2×0.75~1.0mm <sup>2</sup>
	H05RR-F 2×0.75~1.0mm <sup>2</sup>
	H05RN-F 2×0.75~1.0mm <sup>2</sup>
	H05V2V2-F 2×0.75~1.0mm <sup>2</sup>
	H05V2V2H2-F 2×0.75~1.0mm <sup>2</sup>




### D13

Product	两级带接地不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup>
	H05VV-F 3G0.75~1.0mm <sup>2</sup>
	H05RR-F 3G0.75~1.0mm <sup>2</sup>
	H05RN-F 3G0.75~1.0mm <sup>2</sup>
	H05V2V2-F 3G0.75~1.0mm <sup>2</sup>
	H03RT-F 3G0.75~1.0mm <sup>2</sup>




### D14

Product	两极不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×0.5~0.75mm <sup>2</sup> H03VVH2-F 2×0.5~0.75mm <sup>2</sup> H05VV-F 2×0.75~1.0mm <sup>2</sup> H05VVH2-F 2×0.75~1.0mm <sup>2</sup> H05RR-F 2×0.75~1.0mm <sup>2</sup> H05RN-F 2×0.75~1.0mm <sup>2</sup> H05V2V2-F 2×0.75~1.0mm <sup>2</sup> H05V2V2H2-F 2×0.75~1.0mm <sup>2</sup>




### D15

Product	两极不可拆线插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 2×1.0~1.5mm <sup>2</sup> H05VVH2-F 2×1.0mm <sup>2</sup> H05RR-F 2×1.0~1.5mm <sup>2</sup> H05RN-F 2×1.0mm <sup>2</sup> H07RN-F 2×1.0~1.5mm <sup>2</sup> H05V2V2H2-F 2×1.0mm <sup>2</sup> H05V2V2-F 2×1.0~1.5mm <sup>2</sup>



### D16

Product	两极带接地不可拆线插头
Rated Current	10A
Rated Voltage	250V
Approvals	
Cable Type	H03VV-F 3G0.5~0.75mm <sup>2</sup> H05VV-F 3G0.75~1.0mm <sup>2</sup> H05RR-F 3G0.75~1.0mm <sup>2</sup> H05RN-F 3G0.75~1.0mm <sup>2</sup> H05V2V2-F 3G0.75~1.0mm <sup>2</sup>




### D17

Product	两极带接地不可拆线插头
Rated Current	16A
Rated Voltage	250V
Approvals	
Cable Type	H05VV-F 3G1.0~1.5mm <sup>2</sup> H05RN-F 3G1.0mm <sup>2</sup> H07RN-F 3G1.0~1.5mm <sup>2</sup> H05V2V2-F 3G1.0~1.5mm <sup>2</sup>









### QT1

Product	IEC连接器
Rated Current	2.5A
Rated Voltage	125V/250V
Approvals	
Cable Type	H05VV-F 3G0.75mm <sup>2</sup> SVT SVTO SPT-2 18AWG×3C




### QP2

Product	两极带极性不可拆线插头(大小片)
ANSI/NEMA WD6 Config	1-15P
Approvals	
Cable Type	NISPT-1 NISPT-2 NISPT-3 SPT-1 SPT-2 SPT-3 HPN SVT 18~16AWG/2C SJT 18~14AWG/2C




### QP2A

Product	两极不可拆线插头
ANSI/NEMA WD6 Config	1-15P
Approvals	
Cable Type	SVT 18~16AWG/2C SJT 18~14AWG/2C SJTW 18~14AWG/2C




### QP3


Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	5-15P
Approvals	
Cable Type	SJTO SJ SJT 18~16AWG×3C SJT SPT-3 14AWG×3C SVT 18~16AWG×3C SPT-3 14AWG×3C

**QP3A**


Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	5-15P
Approvals	 
Cable Type	SPT-3 18-16 AWG/3C SJT SJTO ST STO SPT-2 16 AWG/3C SJT SJTO ST STO SPT 14 AWG/3C

**QP3B/QT1**

Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	5-15P
Approvals	 
Cable Type	SJT SJTO ST STO SPT-2 SPT-3 18 AWG/3C SJT SJTO ST STO SPT-3 16 AWG/3C

**QP3C**


Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	6-15P
Approvals	 
Cable Type	SJT SJTO ST STO 18 AWG/3C SJT SJTO ST STO SPT-3 16 AWG/3C SJT SJTO ST STO SPT-3 14 AWG/3C SJT SJTO ST STO SPT-3 12 AWG/3C

**QP3D**

Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	6-20P
Approvals	 
Cable Type	SJT SJTO ST STO SPT-3 18 AWG/3C SPT-3 SJT SJTO ST STO 14 AWG/3C SPT-3 SJT SJTO ST STO 12 AWG/3C









### QP3E

Product	两极带接地不可拆线插头
ANSI/NEMA WD6 Config	5-20P
Approvals	
Cable Type	SJT SJTO ST STO 18 AWG/3C SJT SJTO ST STO 16 AWG/3C SJT SJTO ST STO 14 AWG/3C




### QP 4

Product	日本两极不可拆线插头
Rated Current	0.5mm <sup>2</sup> (3A) 0.75mm <sup>2</sup> (7A) 1.25mm <sup>2</sup> (12A) 2.0mm <sup>2</sup> (15A)
Rated Voltage	125V
Approvals	
Cable Type	VFF/HVFF 2×0.5~2.0mm <sup>2</sup> VCTF/HVCTF 2×0.75~2.0mm <sup>2</sup> VCTFK/HVCTFK 2×0.75~2.0mm <sup>2</sup>



### QP 5

Product	日本两极带接地不可拆线插头
Rated Current	0.75mm <sup>2</sup> (7A) 1.25mm <sup>2</sup> (12A) 2.0mm <sup>2</sup> (15A)
Rated Voltage	125V
Approvals	
Cable Type	VCTF/HVCTF 3×0.75/1.25/2.0mm <sup>2</sup>



### QP 6

Product	日本两极带接地不可拆线插头
Rated Current	0.75mm <sup>2</sup> (7A) 1.25mm <sup>2</sup> (12A) 2.0mm <sup>2</sup> (15A)
Rated Voltage	125V
Approvals	
Cable Type	VCTF/HVCTF 3×0.75/1.25/2.0mm <sup>2</sup>

**QP2-DTX-105**

Approvals

**D01-DTX-106**

Approvals

**QP2-DTX-107**

Approvals

**QP2-DTX-108**

Approvals






### QP-3WD1

Product	豪华型带安全保护门插座 + USB接口
Cable Type	H05VV-F 3 × 1.5mm <sup>2</sup>



### QP-5WC

Product	豪华型带安全保护门插座
Cable Type	H05VV-F 3 × 1.5mm <sup>2</sup>



### QP-5WB

Product	豪华型带安全保护门插座
Cable Type	H05VV-F 3 × 1.5mm <sup>2</sup>



### QP-6WE

Product	豪华型带安全保护门插座
Cable Type	H05VV-F 3 × 1.5mm <sup>2</sup>



## SAA 澳大利亚认证橡胶线



## VDE 德国认证橡胶线



## CCC 中国认证橡胶线



## KTL 韩国认证橡胶线








## UL 美国认证橡胶线



## 国际插头概况简图（仅供参考）

### The world Plug drawing

代号 Configuration code	A	B	C	D	E
简图 Configuration Diagram					
主要采用国家 Type of power supply	中国 美国 日本 China U.S.A Japan	美国 U.S.A	欧洲 Europe	欧洲 Europe	欧洲 Europe

代号 Configuration code	F	G	H	I	J
简图 Configuration Diagram					
主要采用国家 Type of power supply	丹麦 Denmark	瑞士 Switzerland	意大利 Switzerland	南非 S.Africa	英国 Britain

代号 Configuration code	K	L	M		
简图 Configuration Diagram					
主要采用国家 Type of power supply	澳大利亚 Australia	中国 澳大利亚 China Australia	以色列 Israel		



# QINOPU®



## 宁波乔普电器有限公司

### Ningbo Qiaopu Electric Co.,Ltd.

地址：浙江省余姚市泗门镇小路下村

ADD: Xiaoluxia, Simen, Yuyao, Zhejiang, China

Tel : 0086-574-62163834    13454735680

Fax : 0086-574-62160106

P.C : 315472

E-mail : nbqpdq\_vicky@163.com

Web : [Http://qiaopuco.com](http://qiaopuco.com)